



PRODUCTS CATALOGUE

04

Company values

05

Products Details

07

6" Road e-scooter tyres

08

6.0" - 6.5" Road and racing
tyres. Minibike & e-Scooter

13

6.5" Enduro - 8" Road
e-scooter tyres

15

10" Road and racing tyres.
Scooter, Minigp & Minimotard

21

12" Road and racing
tyres. Pit Bike, scooter &
Minigp

25

13" Racing tyres.
Dragster & scooter

27

17" Racing tyres. Moto3,
Moto4 & Moto5

32

Partnership History

34

PMT Contacts

Production process.

PMT operates with an **approach artisanal in the production** of their own products, with an installed production capacity of more than 200,000 tires per year and with a commercial presence in over 60 countries. This approach allows the company to be able to **think, plan and create tailor-made products for every request by the customer.**

Company Core Business.

PMT's goal has always been to develop and manufacture **high quality products for each sector** in which it places its commitment. The strong point of the company is the experience gained in the **racing sector of "low wheels"**, which today has led the company to be a point of reference also in new projects related to **micro mobility**.

Our skills.

PMT is synonymous of **Made in Italy**: each tyre is designed and manufactured within the company located in **Aprilia** (Latina). All our products receive careful **quality control** to always offer a reliable, high quality and performance product capable of satisfying every need.

100% Radial.

Every tire produced by the company is of **radial type to provide greater vehicle maneuverability, lower rolling resistance, increased resistance at high speeds, and reduced weight.**

100% Tubeless.

All products are **tubeless**. This significantly **reduces the risk of punctures and provides greater safety and durability in tire usage.**

100% Made in Italy.

The tires are conceived, designed, and entirely manufactured **within the company located in Italy**, thanks to the skilled hands of specialized Pmt workers.

Attention to EcoGreen.

PMT is already working with an **eye towards the environment**. The company's future goal is to **reduce CO2 emissions by over 87% by producing its own tires using plant-based materials.**



(NEW)
e-Fire Airless
(puncture resistant)
8.5 / 2 R6.0



STRADALE

B

Outer Diameter
220 mm
Rim Width
35 mm
Tyre Width
45 mm



COMPOUND



e-Fire
10 / 2.125 R6.0



STRADALE

B

Outer Diameter
250 mm
Rim Width
35 - 45 mm
Tyre Width
55 mm



e-Fire
10 / 2.50 R6.0



STRADALE

B

Outer Diameter
250 mm
Rim Width
35 - 45 mm
Tyre Width
65 mm



6" - 6.5" ESCOOTER TYRES

e-Fire

10 / 3.0 R6.0




STRADALE

B

Outer Diameter
250 mm

Rim Width
35 - 45 mm

Tyre Width
76 mm



e-Fire

10 / 3.5 R6.0



STRADALE

B

Outer Diameter
250 mm

Rim Width
70 mm

Tyre Width
85 mm



e-Fire

60 / 70 R6.5



STRADALE

B

Outer Diameter
254 mm

Rim Width
40 mm

Tyre Width
60 mm



COMPOUND

6.5" ESCOOTER TYRES

Stradale

90 / 60 R6.5



STRADALE

B

Outer Diameter
275 mm

Rim Width
60 - 66 mm

Tyre Width
90 mm



COMPOUND



Stradale

100 / 55 R6.5



STRADALE

B

Outer Diameter
275 mm

Rim Width
66 - 72 mm

Tyre Width
100 mm



Stradale

130 / 40 R6.5




STRADALE

B

Outer Diameter
270 mm

Rim Width
105 - 115 mm

Tyre Width
130 mm



6.5" RACING TYRES

Slick

80 / 50 R6.5



SOFT

T41

Outer Diameter
280 mm

Rim Width
60 - 66 mm

Tyre Width
80 mm



Slick

90 / 65 R6.5



HARD

T4

SOFT

T41

RAIN

R

Outer Diameter
280 mm

Rim Width
60 - 66 mm

Tyre Width
90 mm



Slick

100 / 55 R6.5




SOFT

T41

Outer Diameter
280 mm

Rim Width
60 - 66 mm

Tyre Width
100 mm



COMPOUND



6.5" RACING TYRES

Slick

105 / 50 R6.5



SOFT

T41

Outer Diameter
280 mm

Rim Width
60 - 66 mm

Tyre Width
105 mm



COMPOUND



Slick

110 / 55 R6.5



HARD

T4

SOFT

T41

RAIN

R

Outer Diameter
280 mm

Rim Width
66 - 72 mm

Tyre Width
110 mm



6.5" RACING TYRES

Junior

90 / 65 R6.5



JUNIOR

T41

RAIN

R

Outer Diameter
280 mm

Rim Width
60 - 66 mm

Tyre Width
90 mm



Rain

90 / 50 R6.5



RAIN

R

Outer Diameter
280 mm

Rim Width
66 mm

Tyre Width
90 mm



Rain

100 / 55 R6.5



RAIN

R

Outer Diameter
280 mm

Rim Width
72 mm

Tyre Width
100 mm



COMPOUND



NEW

6.5" ENDURO - 8" ESCOOTER TYRES

(NEW) Enduro 90 / 50 R6.5



SOFT

T41

Outer Diameter
280 mm
Rim Width
66 mm
Tyre Width
90 mm



COMPOUND



(NEW) Enduro 100 / 55 R6.5



SOFT

T41

Outer Diameter
280 mm
Rim Width
72 mm
Tyre Width
100 mm



e-Fire 12.5 / 2.25 R8.0



STRADALE

B

Outer Diameter
318 mm
Rim Width
40 mm
Tyre Width
62 mm





10" RACING TYRES

Slick 90 / 85 R10



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- RAIN **R**

Tyre Sidewall
85

Rim Width
2.5" - 3.0"

Tyre Width
90 mm



COMPOUND



Slick 90 / 90 R10



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- RAIN **R**

Tyre Sidewall
90

Rim Width
2.5" - 3.0"

Tyre Width
90 mm



Slick 100 / 85 R10




- HARD **H**
- MEDIUM **M**
- SOFT **S**
- SUPERSOFT **SS**
- RAIN **R**

Tyre Sidewall
85

Rim Width
2.5" - 3.0"

Tyre Width
100 mm



10" RACING/ROAD TYRES

Slick

110 / 80 R10



- MEDIUM **M**
- SOFT **S**
- SUPERSOFT **SS**

Tyre Sidewall
80

Rim Width
2.5" - 3.0"

Tyre Width
110 mm



Slick

120 / 80 R10



- MEDIUM **M**
- SOFT **S**
- SUPERSOFT **SS**
- RAIN **R**

Tyre Sidewall
80

Rim Width
2.5" - 3.0"

Tyre Width
120 mm



Blackfire

3.50 R10

ECE75 J50

(Road approved)



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- RAIN **R**

Tyre Sidewall
90

Rim Width
2.5" - 3.0"

Tyre Width
90 mm



COMPOUND **●**

10" RACING TYRES

Rain 90 / 85 R10



RAIN

R

Tyre Sidewall
85

Rim Width
2.5" - 3.0"

Tyre Width
90 mm



COMPOUND



Rain 90 / 90 R10



RAIN

R

Tyre Sidewall
90

Rim Width
2.5" - 3.0"

Tyre Width
90 mm



10" RACING TYRES

Rain

100 / 85 R10



RAIN

R

Tyre Sidewall
85

Rim Width
2.5" - 3.0"

Tyre Width
100 mm



Rain

120 / 80 R10



RAIN

R

Tyre Sidewall
80

Rim Width
2.5" - 3.0"

Tyre Width
120 mm



COMPOUND

Dragster

110 / 55 R10



SUPERSOFT

SS

Tyre Sidewall
55

Rim Width
2.5"

Tyre Width
110 mm



COMPOUND





12" RACING TYRES

Slick 100 / 90 R12



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- SUPERSOFT **SS**
- RAIN **R**

Tyre Sidewall
90

Rim Width
2.15" - 2.75"

Tyre Width
100 mm



COMPOUND



Slick 120 / 80 R12



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- SUPERSOFT **SS**
- RAIN **R**

Tyre Sidewall
80

Rim Width
2.5" - 3.5"

Tyre Width
120 mm



Slick 130 / 75 R12




- MEDIUM **M**
- SOFT **S**
- SUPERSOFT **SS**
- RAIN **R**

Tyre Sidewall
75

Rim Width
2.5" - 3.5"

Tyre Width
130 mm



12" RACING/ROAD TYRES

Blackfire

100 / 90 R12

ECE75 J49

(Road approved)



HARD

H

MEDIUM

M

SOFT

S

RAIN

R

Tyre Sidewall
90

Rim Width
2.15" - 2.75"

Tyre Width
100 mm



Blackfire

120 / 80 R12

ECE75 J55

(Road approved)



HARD

H

MEDIUM

M

SOFT

S

RAIN

R

Tyre Sidewall
80

Rim Width
2.5" - 3.5"

Tyre Width
120 mm



COMPOUND



12" RACING TYRES

Rain

100 / 90 R12



RAIN

R

Tyre Sidewall
90

Rim Width
2.15" - 2.75"

Tyre Width
100 mm



COMPOUND



Rain

120 / 80 R12



RAIN

R

Tyre Sidewall
80

Rim Width
2.5" - 3.5"

Tyre Width
120 mm



12" RACING TYRES

Slick

120 / 70 R12



SOFT

S

Tyre Sidewall
70

Rim Width
3.5"

Tyre Width
120 mm



Rain

120 / 70 R12



RAIN

R

Tyre Sidewall
70

Rim Width
3.5"

Tyre Width
120 mm



COMPOUND



13" RACING TYRES

Slick 140 / 60 R13



SOFT

S

Tyre Sidewall
60

Rim Width
4.0"

Tyre Width
140 mm



COMPOUND



Rain 140 / 60 R13



RAIN

R

Tyre Sidewall
60

Rim Width
4.0"

Tyre Width
140 mm





17" RACING TYRES

Slick 90 / 80 R17



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- RAIN **R**

Tyre Sidewall
80

Rim Width
2.5" - 3.5"

Tyre Width
90 mm



Slick 115 / 75 R17



- HARD **H**
- MEDIUM **M**
- SOFT **S**
- RAIN **R**

Tyre Sidewall
75

Rim Width
2.5" - 3.5"

Tyre Width
115 mm



COMPOUND

17" RACING TYRES

Rain
90 / 80 R17



RAIN

R

Tyre Sidewall
80

Rim Width
2.5" - 3.5"

Tyre Width
90 mm



Rain
115 / 75 R17



RAIN

R

Tyre Sidewall
75

Rim Width
2.5" - 3.5"

Tyre Width
115 mm



COMPOUND



(NEW) Slick

110 / 70 R17



- HARD **H**
- MEDIUM **M**
- SOFT **S**

Tyre Sidewall
70

Rim Width
3"

Tyre Width
110 mm



(NEW) Slick

140 / 70 R17



- HARD **H**
- MEDIUM **M**
- SOFT **S**

Tyre Sidewall
70

Rim Width
4"

Tyre Width
140 mm



COMPOUND

NEW 17" RACING TYRES

(NEW) Rain 110 / 70 R17



RAIN

R

Tyre Sidewall
70
Rim Width
3"
Tyre Width
110 mm



(NEW) Rain 140 / 70 R17



RAIN

R

Tyre Sidewall
70
Rim Width
4"
Tyre Width
140 mm





PARTNERSHIP



PARTNERSHIP



PMT CONTACTS



www.pmt-tyres.it



pmt@pmt-tyres.it



+39 06 9206 23 84



pmttyres



pmttyres



PMT Tyres



pmt-tyres



V 2024.10.22.003



Via della Chimica, 2
04011 Aprilia (LT), Italy

Tel +39 06 92062384
Fax +39 06 92060212

www.pmt-tyres.it
pmt@pmt-tyres.it